Issuing Date No data available Revision Date 20-Apr-2015 Revision Number 1

(U)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier 223

Product Name Drylok Concrete Cleaner & Degreaser

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Deck cleaner

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name United Gilsonite Laboratories

**Supplier Address** 1396 Jefferson Ave.

Dunmore PA 18509 US

Supplier Phone Number Phone:570-344-1202

Fax:570-969-7634

Contact Phone 570-344-1202

Supplier Email sales@ugl.com

Emergency telephone number (800) 424-9300 Chemtrec

# 2. HAZARDS IDENTIFICATION

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

1	Serious eye damage/eye irritation	Category 2
(	Germ cell mutagenicity	Category 1B

(U)

Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

Signal word Danger

#### **Hazard Statements**

Causes serious eye irritation May cause genetic defects Suspected of causing cancer

May cause damage to organs through prolonged or repeated exposure

May be fatal if swallowed and enters airways



AppearanceClear, amberPhysical StateLiquidOdorAromatic

# **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Wear eye/face protection

# **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

# Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# **Hazards not otherwise classified (HNOC)**



Page 2/12

Not applicable

#### **Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

#### **Other information**

Causes mild skin irritation
Harmful to aquatic life with long lasting effects
PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

## **Interactions with Other Chemicals**

No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No	Weight-%	Trade Secret
Aromatic solvent	64742-95-6	10 - 30	*
Cocamide dea	68603-42-9	10 - 30	*
Diethanolamine	111-42-2	1 - 5	*
Isopropyl alcohol	67-63-0	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

#### First aid measures

<u>General Advice</u> Immediate medical attention is required. Show this safety data sheet to the doctor

in attendance.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention

if irritation develops and persists.

**Skin Contact** Wash with soap and water.

**Inhalation** Remove to fresh air. Aspiration into lungs can produce severe lung damage. If

breathing has stopped, give artificial respiration. Get medical attention

immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Seek

immediate medical attention/advice. Delayed pulmonary edema may occur.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Aspiration hazard if

swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Call a physician or poison control

center immediately.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Avoid

Page 3 / 12

Revision Date 20-Apr-2015

direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Wear personal protective clothing (see section 8).

## Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Burning sensation. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. **Effects** 

## Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

## **Specific Hazards Arising from the Chemical**

No information available.

**Uniform Fire Code** Irritant: Liquid

# **Hazardous Combustion Products**

Carbon oxides.

#### **Explosion Data**

**Sensitivity to Mechanical Impact** No.

Sensitivity to Static Discharge No.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



Page 4/12

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental Precautions** 

**Environmental Precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Protect from moisture. Keep out of the reach of children. Store away from other materials.

**Incompatible Products** Strong oxidizing agents. Acids. Chlorinated compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

# **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethanolamine	TWA: 1 mg/m <sup>3</sup> inhalable fraction	(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor S*	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	



Page 5 / 12

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur:. Wear safety glasses with side shields (or goggles). None

required for consumer use.

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# **Physical and Chemical Properties**

Physical StateLiquidAppearanceClear, amberOdorAromatic

Color No information available Odor Threshold No information available

Property Values Remarks Method Hq 8.5 None known Melting / freezing point No data available None known Boiling point / boiling range 100 ℃ / 212 ℉ None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air Upper flammability limit No data available

Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available

Partition coefficient: n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone knownExplosive propertiesNo data available

\_\_\_\_\_\_



Page 6/12

\_\_\_\_\_

Oxidizing Properties No data available

**Other Information** 

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

**Particle Size Distribution** 

# 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Hazardous Polymerization**

Hazardous polymerization does not occur.

## **Conditions to avoid**

None known based on information supplied.

## **Incompatible materials**

Strong oxidizing agents. Acids. Chlorinated compounds.

## **Hazardous Decomposition Products**

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information

**Inhalation** Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract. Aspiration into lungs can produce severe lung damage. May cause

pulmonary edema. Pulmonary edema can be fatal.

Eye Contact Specific test data for the substance or mixture is not available. Expected to be an irritant

based on components. May cause redness, itching, and pain. May cause temporary eye

irritation. May cause irritation.

**Skin Contact** Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation. Repeated exposure may cause skin

dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if

swallowed and enters airways.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50



Revision Date 20-Apr-2015

Aromatic solvent	-	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
64742-95-6			= 3400 ppm (Rat) 4 h
Isopropyl alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg ( Rabbit )	= 16000 ppm (Rat) 8 h

#### Information on toxicological effects

Symptoms May cause redness and tearing of the eyes. Difficulty in breathing. Coughing and/ or

wheezing. Asthma-like and/ or skin allergy-like symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic Effects** Contains a known or suspected mutagen.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Cocamide dea 68603-42-9		Group 2B		Х
Diethanolamine 111-42-2	A3	Group 2B		Х
Isopropyl alcohol 67-63-0		Group 3		Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive Toxicity**No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Based on

classification criteria from the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200), this product has been determined to cause systemic target organ toxicity from

chronic or repeated exposure. (STOT RE).

**Chronic Toxicity**Contains a known or suspected mutagen. Possible risk of irreversible effects. Contains a

known or suspected carcinogen. Aspiration may cause pulmonary edema and pneumonitis. Avoid repeated exposure. Prolonged exposure may cause chronic effects. Cocamide diethanolamine has been classified by the International Agency for Research on Cancer

(IARC) as possibly carcinogenic to humans (Group 2B).

**Target Organ Effects** Eyes. May affect the genetic material in germ cells (sperm and eggs). Respiratory system.

Skin. Gastrointestinal tract (GI). Blood. Kidney. Liver. Spleen. Systemic Toxicity.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

(UL

Page 8 / 12

22,849.00 mg/kg **ATEmix (dermal)** 1,230,769.00 **ATEmix (inhalation-vapor)** 5,347.18 ATEmix

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Aromatic solvent		96h LC50: = 9.22 mg/L		48h EC50: = 6.14 mg/L
64742-95-6		(Oncorhynchus mykiss)		
Cocamide dea		96h LC50: = 3.6 mg/L	EC50 = 6000 mg/L 16 h	24h EC50: = 4.2 mg/L
68603-42-9		(Brachydanio rerio)	_	_
Diethanolamine	72h EC50: = 7.8 mg/L	96h LC50: 4460 - 4980		48h EC50: = 55 mg/L
111-42-2		mg/L (Pimephales promelas)		
	96h EC50: 2.1 - 2.3 mg/L	96h LC50: 1200 - 1580		
	(Pseudokirchneriella	mg/L (Pimephales promelas)		
	subcapitata)	96h LC50: 600 - 1000 mg/L		
		(Lepomis macrochirus)		
Isopropyl alcohol	96h EC50: > 1000 mg/L	96h LC50: > 1400000 μg/L		48h EC50: = 13299 mg/L
67-63-0	(Desmodesmus subspicatus)	(Lepomis macrochirus) 96h		
	72h EC50: > 1000 mg/L	LC50: = 11130 mg/L		
	(Desmodesmus subspicatus)	(Pimephales promelas) 96h		
		LC50: = 9640 mg/L		
		(Pimephales promelas)		

# **Persistence and Degradability**

No information available.

# **Bioaccumulation**

Chemical Name	Log Pow
Diethanolamine 111-42-2	-2.18
Isopropyl alcohol 67-63-0	0.05

# Other adverse effects

No information available.

.....



Page 9/12

Revision Date 20-Apr-2015

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40)

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging**Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
67-63-0	Ignitable

# 14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to

IMDĠ/IMO

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Complies

.....



DSL

All components are listed either on the DSL or NDSL.

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

# **SARA** 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Diethanolamine - 111-42-2	111-42-2	1 - 5	1.0
Isopropyl alcohol - 67-63-0	67-63-0	1 - 5	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Diethanolamine	100 lb		RQ 100 lb final RQ
111-42-2			RQ 45.4 kg final RQ

# **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65		
Cocamide dea - 68603-42-9	Carcinogen		
Diethanolamine - 111-42-2	Carcinogen		

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Cocamide dea					X
68603-42-9					
Diethanolamine	X	X	Χ	X	X
111-42-2					
Isopropyl alcohol	X	X	Χ	X	
67-63-0					

# International Regulations

#### **Mexico**

# National occupational exposure limits



,

Component	Carcinogen Status	Exposure Limits
Isopropyl alcohol		Mexico: TWA 400 ppm
67-63-0 (1 - 5)		Mexico: TWA 980 mg/m <sup>3</sup>
, , ,		Mexico: STEL 500 ppm
		Mexico: STEL 1225 mg/m <sup>3</sup>

Mexico - Occupational Exposure Limits - Carcinogens

# Canada WHMIS Hazard Class D2B - Toxic materials



# **16. OTHER INFORMATION**

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 2 \* Flammability 0 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend \* = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 20-Apr-2015

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 



Revision Date 20-Apr-2015